

1 / S101 PART BASEMENT FLOOR PLAN

SCALE: N.T.S.

NOTE:

1. FOR LOCATION AND SIZE OF CONCRETE PADS, SEE HVAC AND P&D DRAWINGS.
2. FOR LOCATION OF EXISTING CONCRETE PADS TO BE REMOVED, SEE HVAC AND P&D DRAWINGS.
3. EXISTING CONCRETE PADS TO BE REMOVED AND EXISTING SLAB SURFACE TO BE REPAIRED TO MATCH THE EXISTING SLAB. REFER TO CONCRETE REPAIR DETAILS AND SPECIFICATION REQUIREMENTS.
4. FOR DETAILS OF CONCRETE PAD, SEE DRAWING S103.
5. FOR NEW CONCRETE SIDEWALK SLAB, SEE ARCHITECTURAL DRAWING.
6. ALL EXISTING PITS REQUIRED CRYSTALLINE WATERPROOFING, SEE DETAIL 4/S102.
7. ALL REINFORCEMENT ARE EPOXY COATED.
8. VERIFY ALL DIMENSIONS IN FIELD.

President & CEO
Lorraine Grillo

Board of Trustees
Chancellor Carmen Fariña, Chairperson
Curtis A. Harris
Emily A. Youssouf

SCA
NYC School Construction Authority

Architecture & Engineering
E. Bruce Barrett, R.A. LEED A.P., Vice President
Elan R. Abneri, P.E., Senior Director, Design Consultant Management
Stanley Dahir, R.A., Director, Quality Control & Construction Support
María A. Gómez, P.E., LEED A.P., Director, A&E In-House Design
George D. Roussey, P.E., LEED A.P., Director, Technical Standards
Stacey Spann-Thom, Director, Operations Support

NOTE: Drawing may be printed at reduced scale

IT IS A VIOLATION OF THE STATE EDUCATION LAW SECTION 7209 (2) FOR ANY PERSON TO ALTER AN ITEM IN ANY WAY UNLESS SUCH PERSON IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, AND THE ENGINEER STAMPS SUCH CHANGES

No.	Date	Revision

Key Plan:



Block #1524 Lot #23

SCA Design Manager:	JOSE, BAEZ PE
Project Architect/Engineer:	ZYGMUNT JAGIELLO, PE
Discipline Lead:	ANA GO, P.E.
Designer:	ANA GO, P.E.
Drawn by:	M. ADHIKARI
Checked by:	S. TOUSSI, P.E.

Design No or LLW No.:	Facility Code:	Date:
D015402	M198	01/15/2014

Project:
P.S. 198, MANHATTAN
PLANYC BOILER CONVERSION
AND CLIMATE CONTROL
Address:
1700 3RD AVENUE
MANHATTAN, NY 10128

Drawing Title:
BOILER ACCESS PLAN

Drawing No.:
S101.00

Sheets in Contract Set:
9 of 59

Sheets in DOB Set:
9 of 40

J:\Design\m\M198\D015402\Dwgs\dwg set\S101.dwg 03/06/14 - 10:01am 028676